Kronosurface® Natural Touch

Feel me



Kronospan Limited

Chirk, Wrexham LL14 5NT Phone: 01691 773361 Fax: 01691 773292 Email: sales@kronospan.co.uk Internet: www.kronospan.co.uk







Understand me



Kronospan Natural Touch makes every other wood effect panel seem like a bad imitation.

You can feel it - the first embossed-in-register board – where the grain texture precisely matches the surface finish.

Now the authentic look and feel of real timber – the graining, the subtle variations of shade and tone - is accessible on almost any project.

Use me

where you would have used expensive, deep-grained wood.

Natural Touch takes wood's beautiful variability and delivers it consistently.

Use it as a direct replacement for timber. Take the opportunity to have rustic realism where you might otherwise have settled for veneer.

And don't give a thought to wood's cost or other disadvantages.





Care for me

letting me to look good for longer.

The advantages of Natural Touch extend throughout your project's life.

All Natural Touch boards are pre-finished, suffer no colour variation and offer enhanced durability. To retain the good looks a simple wipe is all that's needed, so you can forget about expensive long-term timber troubles.

Cut me as i'm easier to work than wood. No knots, sap or warping, precision and predictability make more things possible. Pre-fabricate structures to engineering tolerances. Know that on-site assembly or erection will be easier and faster. Relax. You're more likely to achieve the right result.

Afford me

Rare timbers cost no more.

Hemlock Nordique, Elm Lava, Cinnamon Walnut and three kinds of oak.

Now the budget can't hold you back on species. Mix exotics with elm or ash. Set your imagination free – there is no premium to pay.





















Natural Touch is available through an extensive UK distribution network, to locate your nearest stockist please visit www.kronospan.co.uk/where-to-buy

To experience Natural Touch, please request your free sample via www.kronospan.co.uk/my-samples

Natural Touch Technical Data

Chipboard core P2/E1 2800mm x 2070mm 18mm thickness Other sizes, thicknesses and MDF substrate available on request

Texture

SK – Synchronised frontal, please refer to decor for specific texture

BS – Satin reverse

Matching High Pressure Laminate (HPL)

2800mm x 1320mm 0.8mm thickness

Texture BS-Satin

ABS edging tape. 23mm x 2mm, 75lm per roll 23mm x 0.8mm, 100lm per roll

