

## Product details

### AVENTOS HK-XS stay lift, lift mechanism, PF=800–1800 (one-sided lift mechanism)



Part number	20K1500.22
Item number	12007986
Colour / finish	Nickel plated
Packaging quantity	10
Weight per 1,000 Pcs in kg	492.36
EAN code	9002617906912
UPC code	

### Technical attributes

Attribute	Value
Type	Lift mechanism
Power factor	800–1800 (one-sided lift mechanism)
minimum internal cabinet depth	125
Material	Steel
Colour / finish	nickel plated
Fixing onto cabinet	screw-on
Symmetrical	Yes
additions	Mounting plate 175H3100, enclosed
additions	Front fixing bracket 20K4101, enclosed
additions	Cabinet fixing bracket 20K5101, enclosed
additions	Furniture hinge 71B3550, enclosed
Item package	1 lift mech., 1 cab. fix., 1 fro. fix., 2 FH, 2 MPL per set

## Product details

### AVENTOS HK-XS stay lift, lift mechanism, PF=800–1800 (one-sided lift mechanism)



Part number	20K1501
Item number	07916587
Colour / finish	Nickel plated
Packaging quantity	5
Weight per 1,000 Pcs in kg	314.6
EAN code	9009494083361
UPC code	

### Technical attributes

Attribute	Value
Type	Lift mechanism
Power factor	800–1800 (one-sided lift mechanism)
minimum internal cabinet depth	125
Material	Steel
Colour / finish	nickel plated
Fixing onto cabinet	screw-on
Symmetrical	Yes
Item package	1 piece

## Product details

### AVENTOS HK-XS stay lift, front fixing bracket for wooden fronts, screw-on



Part number	20K4101
Item number	08910604
Colour / finish	Nickel plated
Packaging quantity	200
Weight per 1,000 Pcs in kg	13.2
EAN code	9009494068009
UPC code	

### Technical attributes

Attribute	Value
Type	Front fixing bracket
Type of lift system	AVENTOS HK-XS stay lift
Item package	1 piece
packaging	industrial packing

## Product details

### AVENTOS HK-XS stay lift, cabinet fixing, screw-on



Part number	20K5101
Item number	01409446
Colour / finish	Nickel plated
Packaging quantity	200
Weight per 1,000 Pcs in kg	21.2
EAN code	9009494068283
UPC code	

### Technical attributes

Attribute	Value
Type	Cabinet fixing
Type of lift system	AVENTOS HK-XS stay lift
Item package	1 piece
packaging	industrial packing

## Product details

### CLIP top BLUMOTION standard hinge 110°, overlay application, boss: screw-on



Part number	71B3550
Item number	08884623
Colour / finish	Nickel plated
Packaging quantity	250
Weight per 1,000 Pcs in kg	73.2
EAN code	9002617767988
UPC code	

### Technical attributes

Attribute	Value
application	standard hinge
Cranking	Overlay application
Opening angle	110
Closing mechanism	with spring
hinge variant	With integrated BLUMOTION
Boss material	Steel boss
boss finish	Nickel plated
Boss assembly	screw-on
Flange width	57
Flange length	22
Flange height	3.2
diametre hinge boss drilling	35
distance between drillings	45
eccentric position of fixing holes to hinge boss hole	9.5
boss drilling depth	13
Minimum drilling distance	3
Maximum drilling distance	7
arm material	Steel
arm finish	Nickel plated
collision measurement (hinge arm height)	21.5
Fixed dimension / factory setting	11
type of side adjustment	With screw
Side adjustment	+/- 2 mm
type of depth adjustment	convenient with spiral screw
Depth adjustment	+ 3/- 2 mm
Gap	1.5
Item package	1 piece
packaging	industrial packing

## Product details

### CLIP mounting plate, straight (20/32 mm), 0 mm, steel, screw-on, HA: cam



Part number	175H3100
Item number	12007951
Colour / finish	Nickel plated
Packaging quantity	40
Weight per 1,000 Pcs in kg	15.65
EAN code	9002617905724
UPC code	

### Technical attributes

Attribute	Value
mounting plate system	CLIP
Shape of mounting plate	straight
Material	Steel
Finish	nickel plated
Fixing	for chipboard screws
distance cabinet front edge to first fixing position	20
distance between fixing positions	32
Mounting plates height adjustment	with cam
Height adjustment	+/- 2 mm
Height	8.5
Spacing	0
Angle	0
Item package	1 piece
packaging	Commercial packing
material of bottom part	Steel
surface of bottom part	Nickel plated
Fixing positions	fixing position 58/horizontal mounting plate