

AVENTOS HK-XS stay lift, lift mechanism hk-xs tip-on, PF=500-1200 (one-sided lift mechanism), for TIP-ON



Part number	20K1300T22
Item number	12008001
Colour / finish	Nickel plated
Packaging quantity	10
Weight per 1,000 Pcs in kg	510.13
EAN code	9002617906936
UPC code	

Attribute	Value
Туре	Lift mechanism HK-XS TIP-ON
Power factor	500–1200 (one-sided lift mechanism)
minimum internal cabinet depth	125
Material	Steel
Colour / finish	nickel plated
Fixing onto cabinet	screw-on
Symmetrical	Yes
additions	Mounting plate 175H3100, enclosed
additions	Front fixing bracket 20K4101, enclosed
additions	Cabinet fixing bracket 20K5101, enclosed
additions	609.150 chipboard screws magazine packed, enclosed
additions	Furniture hinge 70T5550.TL, enclosed
additions	Glue-on catch plate 955.1008, enclosed
additions	Screw-on catch plate 955.1008S, enclosed
additions	TIP-ON 956A1002, enclosed
additions	TIP-ON adapter plate 956A1201, enclosed
Item package	1 lift mech., 1 cab. fix., 1 fro. fix, 2 FH, 2 MPL, 1 TIP-ON set, 1 TIP-AP per set



AVENTOS HK-XS stay lift, lift mechanism hk-xs tip-on, PF=500-1200 (one-sided lift mechanism), for TIP-ON



Part number	20K1301T	
Item number	07045770	
Colour / finish	Nickel plated	
Packaging quantity	5	
Weight per 1,000 Pcs in kg	314	
EAN code	9009494083439	
UPC code		

Attribute	Value
Туре	Lift mechanism HK-XS TIP-ON
Power factor	500–1200 (one-sided lift mechanism)
minimum internal cabinet depth	125
Material	Steel
Colour / finish	nickel plated
Fixing onto cabinet	screw-on
Symmetrical	Yes
Item package	1 piece



AVENTOS HK-XS stay lift, front fixing bracket for wooden fronts, screw-on



Part number	20K4101	
Item number	08910604	
Colour / finish	Nickel plated	
Packaging quantity	200	
Weight per 1,000 Pcs in kg	13.2	
EAN code	9009494068009	
UPC code		

Attribute	Value
Туре	Front fixing bracket
Type of lift system	AVENTOS HK-XS stay lift
Item package	1 piece
packaging	industrial packing



AVENTOS HK-XS stay lift, cabinet fixing, screw-on



Part number	20K5101
Item number	01409446
Colour / finish	Nickel plated
Packaging quantity	200
Weight per 1,000 Pcs in kg	21.2
EAN code	9009494068283
UPC code	

Attribute	Value
Туре	Cabinet fixing
Type of lift system	AVENTOS HK-XS stay lift
Item package	1 piece
packaging	industrial packing



CLIP top standard hinge 120°, overlay application, unsprung, boss: screw-on



Part number	70T5550.22
Item number	12007901
Colour / finish	Nickel plated
Packaging quantity	1
Weight per 1,000 Pcs in kg	215.91
EAN code	9002617903126
UPC code	

Attribute	Value
application	standard hinge
Cranking	Overlay application
Opening angle	120
Closing mechanism	unsprung
hinge variant	with free movement for TIP-ON
Boss material	Steel boss
boss finish	Nickel plated
Boss assembly	screw-on
Flange width	57
Flange length	20
Flange height	3.2
diametre hinge boss drilling	35
distance between drillings	45
exccentric position of fixing holes to hinge boss hole	9.5
boss drilling depth	12.6
Minimum drilling distance	3
Maximum drilling distance	6
arm material	Steel
arm finish	Nickel plated
collision measurement (hinge arm height)	20.5
Fixed dimension / factory setting	11
type of side adjustment	With screw
Side adjustment	+/- 2 mm
type of depth adjustment	convenient with spiral screw
Depth adjustment	+ 3/- 2 mm
Gap	1.5
hinge accessories	Mounting plate 174H7100E, enclosed
hinge accessories	Screws 609.1500 nickel plated, enclosed
hinge accessories	TIP-ON 955.1002, enclosed
hinge accessories	Glue-on catch plate 955.1008, enclosed
hinge accessories	Screw-on catch plate 955.1008S, enclosed
Item package	2 per set (2hinges.,2mpl,1TIP-ON,2catch pl.(scr./lift cyst.),1scr.)



CLIP mounting plate, straight (20/32 mm), 0 mm, steel, screw-on, HA: cam



Part number	175H3100
Item number	12007951
Colour / finish	Nickel plated
Packaging quantity	40
Weight per 1,000 Pcs in kg	15.65
EAN code	9002617905724
UPC code	

Attribute	Value
mounting plate system	CLIP
Shape of mounting plate	straight
Material	Steel
Finish	nickel plated
Fixing	for chipboard screws
distance cabinet front edge to first fixing position	20
distance between fixing positions	32
Mounting plates height adjustment	with cam
Height adjustment	+/- 2 mm
Height	8.5
Spacing	0
Angle	0
Item package	1 piece
packaging	Commercial packing
material of bottom part	Steel
surface of bottom part	Nickel plated
Fixing positions	fixing position 58/horizontal mounting plate



TIP-ON for doors, long version, with magnet



Part number	956A1002	
Item number	06526686	
Colour / finish	R7036 platinum grey	
Packaging quantity	250	
Weight per 1,000 Pcs in kg	10.3	
EAN code	9009494073461	
UPC code		

Attribute	Value
Туре	TIP-ON
Application	for doors
Fixing method	Drilling, handle side
Colour / finish	RAL 7036 platinum grey
Version	Long version
Version	With magnet
Trigger path	1.5
Triggering force	19
Item package	1 piece



TIP-ON adapter plate for doors, straight (20/32 mm)



Part number	956A1201
Item number	04722188
Colour / finish	R7036 platinum grey
Packaging quantity	250
Weight per 1,000 Pcs in kg	9.5
EAN code	9009494073638
UPC code	

Attribute	Value
Туре	TIP-ON adapter plate
Application	for doors
Colour / finish	RAL 7036 platinum grey
Shape of mounting plate	straight
Item package	1 piece



TIP-ON catch plate for doors, glue-on



Part number	955.1008
Item number	07664031
Colour / finish	self colour
Packaging quantity	250
Weight per 1,000 Pcs in kg	0.8
EAN code	9002617693652
UPC code	

Attribute	Value
Туре	TIP-ON catch plate
Application	for doors
Fixing method	glue-on
Colour / finish	self colour
Item package	1 piece



Chipboard screws, counter sunk head, nominal length: 15 mm



Part number	609.1500
Item number	05612313
Colour / finish	Nickel plated
Packaging quantity	100 / 1000 / 10000
Weight per 1,000 Pcs in kg	0.8
EAN code	9002617070118
UPC code	

Attribute	Value
height of head	2.09
type of screw	Chipboard screws
Head Diameter	7
Standard information	Blum-specific screw with part number 609.
Material	Steel
Colour / finish	nickel plated
temperature treatment	case-hardened
Head Shape	Counter sunk head
Nominal Length	15
Overall length (incl. head)	15
length of thread	11.1
thread shape	Chipboard screw thread, included angle 45 degrees
Thread Size	3.5 mm
slot shape / tool support	Cross slot Z size 2
shape of thread end	with tip (for wood screws and chipboard screws)
Item package	1 piece
packaging	Commercial packing
packaging	neutral bag and carton