


DYNAPLAN - Carcase illustration



Carcase type: Standard carcase 1
 Planning system: FREE
 Carcase top construction: Carcase top
 Carcase back construction: Notched

Carcase height: 720
 Outside carcase width: 600
 Inner carcase width: 564
 Inner carcase depth: 490
 Top panel thickness: 18
 Bottom panel thickness: 18
 Left side panel thickness: 18
 Right side panel thickness: 18
 Top gap: 2.5
 Gap between fronts: 4
 Bottom gap: 2.5
 Left side gap: 2
 Right side gap: 2

Comment: ---	
Project: 2015 Universal Standard Drilling	Date: 09/11/2015
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:

DYNAPLAN - Overview Page 1



Pos.	Element	System	Front height	Front drilling			Carcase drilling	
				Height	Left	Right	Height	Depth
4	Drawer Without organisation BLUMOTION	TANDEMBOX antaro 30kg Height M, drawer (450)	140.0	68.0	31.5	31.5	631.0	37.0
3	Drawer Without organisation BLUMOTION	TANDEMBOX antaro 30kg Height M, drawer (450)	140.0	68.0	31.5	31.5	487.0	37.0
2	Drawer Without organisation BLUMOTION	TANDEMBOX antaro 30kg Height M, drawer (450)	140.0	68.0	31.5	31.5	343.0	37.0
Bottom	High fronted pull-out Without organisation BLUMOTION	TANDEMBOX antaro 30kg Ht D, design element with drawer side M (450)	283.0	68.0	31.5	31.5	56.0	37.0

Comment: ---	
Project: 2015 Universal Standard Drilling	Date: 09/11/2015
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:

DYNAPLAN - Cuttings per element



Pos.	Element	System	Cutting	Dimen. (LxWxT)
4	Drawer Without organisation BLUMOTION	TANDEMBOX antaro 30kg Height M, drawer (450)	Front	140.0 x 596.0 x 16.0
			Base	426.0 x 489.0 x 16.0
			Back	477.0 x 84.0 x 16.0
3	Drawer Without organisation BLUMOTION	TANDEMBOX antaro 30kg Height M, drawer (450)	Front	140.0 x 596.0 x 16.0
			Base	426.0 x 489.0 x 16.0
			Back	477.0 x 84.0 x 16.0
2	Drawer Without organisation BLUMOTION	TANDEMBOX antaro 30kg Height M, drawer (450)	Front	140.0 x 596.0 x 16.0
			Base	426.0 x 489.0 x 16.0
			Back	477.0 x 84.0 x 16.0
Bottom	High fronted pull-out Without organisation BLUMOTION	TANDEMBOX antaro 30kg Ht D, design element with drawer side M (450)	Front	283.0 x 596.0 x 16.0
			Base	426.0 x 489.0 x 16.0
			Back	477.0 x 199.0 x 16.0
			Design element*	417.0 x 91.5 x 8.0
---	Carcase Notched back	2015 Universal Standard Drilling 1x283 3x140 TANDEMBOX antaro Standard carcase 1	Right carcase side	720.0 x 560.0 x 18.0
			Left carcase side	720.0 x 560.0 x 18.0
			Bottom panel	564.0 x 560.0 x 18.0
			Carcase top	564.0 x 560.0 x 18.0
			Carcase back	694.0 x 574.0 x 5.0

Comment: ---	
Project: 2015 Universal Standard Drilling	Date: 09/11/2015
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:

DYNAPLAN - Cuttings per element



H...Height, W...External width, L...Length, T...Thickness

*) According to the standard (DIN EN 14749, Nov 2005 edition), no safety glass is stipulated in combination with TANDEMBOX antaro.

The edge is a polished flat edge with a 1 mm +/-0.5 mm bevel.

Comment: The "Fittings" tab on page 1 contains all information regarding cutting dimensions to size for fittings.

Comment: ---

Project: 2015 Universal Standard Drilling

Date: 09/11/2015

Carcase name: 1x283 3x140 TANDEMBOX antaro

Creator:

DYNAPLAN - Cuttings per carcase



Pieces	Cutting	Dimen. (LxWxT)	Comment
3	Front	140.0 x 596.0 x 16.0	
1	Front	283.0 x 596.0 x 16.0	
4	Base	426.0 x 489.0 x 16.0	
3	Back	477.0 x 84.0 x 16.0	
1	Back	477.0 x 199.0 x 16.0	
2	Design element*	417.0 x 91.5 x 8.0	
2	Top_Bottom panel	564.0 x 560.0 x 18.0	
2	Carcase side	720.0 x 560.0 x 18.0	
1	Carcase back	694.0 x 574.0 x 5.0	

H...Height, W...External width, L...Length, T...Thickness

*) According to the standard (DIN EN 14749, Nov 2005 edition), no safety glass is stipulated in combination with TANDEMBOX antaro.

The edge is a polished flat edge with a 1 mm +/-0.5 mm bevel.

Comment: The "Fittings" tab on page 1 contains all information regarding cutting dimensions to size for fittings.

Comment: ---	
Project: 2015 Universal Standard Drilling	Date: 09/11/2015
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:

DYNAPLAN - Fittings per element



Pos.	Element	System	Pieces	Part No.	Description
4	Drawer	TANDEMBOX antaro 30kg	1	378M4502SA	TANDEMBOX drawer side, height M (83 mm), NL=450 mm, right+left, for TANDEMBOX intivo/antaro
	Without organisation		1	578.4501B	TANDEMBOX BLUMOTION cabinet profile, 30 kg, NL=450 mm, right+left
	BLUMOTION	Height M, drawer (450)	2	ZSF.35A2	TANDEMBOX front fixing bracket, screw-on, symmetrical
			1	Z30M000S.04	TANDEMBOX back fixings bracket, height M (96.5 mm), right+left
3	Drawer	TANDEMBOX antaro 30kg	1	378M4502SA	TANDEMBOX drawer side, height M (83 mm), NL=450 mm, right+left, for TANDEMBOX intivo/antaro
	Without organisation		1	578.4501B	TANDEMBOX BLUMOTION cabinet profile, 30 kg, NL=450 mm, right+left
	BLUMOTION	Height M, drawer (450)	2	ZSF.35A2	TANDEMBOX front fixing bracket, screw-on, symmetrical
			1	Z30M000S.04	TANDEMBOX back fixings bracket, height M (96.5 mm), right+left
2	Drawer	TANDEMBOX antaro 30kg	1	378M4502SA	TANDEMBOX drawer side, height M (83 mm), NL=450 mm, right+left, for TANDEMBOX intivo/antaro
	Without organisation		1	578.4501B	TANDEMBOX BLUMOTION cabinet profile, 30 kg, NL=450 mm, right+left
	BLUMOTION	Height M, drawer (450)	2	ZSF.35A2	TANDEMBOX front fixing bracket, screw-on, symmetrical
			1	Z30M000S.04	TANDEMBOX back fixings bracket, height M (96.5 mm), right+left

Comment: ---	
Project: 2015 Universal Standard Drilling	Date: 09/11/2015
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:

DYNAPLAN - Fittings per element



Pos.	Element	System	Pieces	Part No.	Description
Bottom	High fronted pull-out	TANDEMBOX antaro 30kg	1	378M4502SA	TANDEMBOX drawer side, height M (83 mm), NL=450 mm, right+left, for TANDEMBOX intivo/antaro
			1	578.4501B	TANDEMBOX BLUMOTION cabinet profile, 30 kg, NL=450 mm, right+left
	Without organisation	Ht D, design element with drawer	2	ZSF.35A2	TANDEMBOX front fixing bracket, screw-on, symmetrical
			1	Z30D000SL	TANDEMBOX back fixings bracket, height D (224 mm), right+left
	BLUMOTION	side M (450)	1	ZRG.387RSIC	TANDEMBOX longside gallery rail (upper), for high fronted pull-out, NL=450 mm, right+left, for TANDEMBOX antaro
			1	Z36D0080	TANDEMBOX connector for design element, height D, front/back, right+left, for TANDEMBOX antaro

Comment: ---	
Project: 2015 Universal Standard Drilling	Date: 09/11/2015
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:


DYNAPLAN - Fittings per carcass



Pieces	Part No.	Description	Material/Finish
4	378M4502SA	TANDEMBOX drawer side, height M (83 mm), NL=450 mm, right+left, for TANDEMBOX intivo/antaro	R9006 white aluminium
4	578.4501B	TANDEMBOX BLUMOTION cabinet profile, 30 kg, NL=450 mm, right+left	Zinc plated
8	ZSF.35A2	TANDEMBOX front fixing bracket, screw-on, symmetrical	self colour
3	Z30M000S.04	TANDEMBOX back fixings bracket, height M (96.5 mm), right+left	R9006 white aluminium
1	Z30D000SL	TANDEMBOX back fixings bracket, height D (224 mm), right+left	R9006 white aluminium
1	ZRG.387RSIC	TANDEMBOX longside gallery rail (upper), for high fronted pull-out, NL=450 mm, right+left, for TANDEMBOX antaro	R9006 white aluminium
1	Z36D0080	TANDEMBOX connector for design element, height D, front/back, right+left, for TANDEMBOX antaro	White grey

Comment: The "Fittings" tab on page 1 contains all information regarding cutting dimensions to size for fittings.

Comment: ---	
Project: 2015 Universal Standard Drilling	Date: 09/11/2015
Carcass name: 1x283 3x140 TANDEMBOX antaro	Creator:



Comment: Dimensions of notch: width = 5 mm, depth = 5 mm.

Project: 2015 Universal Standard Drilling

Type: Carcase top


Piece: 1

Carcase name: 1x283 3x140 TANDEMBOX antaro

Creator:

Date: 09/11/2015

ablum



Comment: Dimensions of notch: width = 5 mm, depth = 5 mm.

Project: 2015 Universal Standard Drilling

Type: Bottom panel


Piece: 1

Carcase name: 1x283 3x140 TANDEMBOX antaro

Creator:

Date: 09/11/2015

ablum



Comment: Dimensions of notch: width = 5 mm, depth = 5 mm.

Project: 2015 Universal Standard Drilling

Type: Left carcass side


Piece: 1

Carcass name: 1x283 3x140 TANDEMBOX antaro

Creator:

Date: 09/11/2015





Comment: Dimensions of notch: width = 5 mm, depth = 5 mm.

Project: 2015 Universal Standard Drilling

Type: Right carcasse side


Piece: 1

Carcasse name: 1x283 3x140 TANDEMBOX antaro

Creator:

Date: 09/11/2015





Comment:

Project: 2015 Universal Standard Drilling

Type: Carcase back


Piece: 1

Carcase name: 1x283 3x140 TANDEMBOX antaro

Creator:

Date: 09/11/2015





Comment:		
Project: 2015 Universal Standard Drilling	Type: Front 1	Piece: 1
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:	Date: 09/11/2015





Comment:

Project: 2015 Universal Standard Drilling

Type: Front 2

Piece: 3

Carcase name: 1x283 3x140 TANDEMBOX antaro

Creator:

Date: 09/11/2015




Comment:		
Project: 2015 Universal Standard Drilling	Type: Base 1	Piece: 4
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:	Date: 09/11/2015





Comment:		
Project: 2015 Universal Standard Drilling	Type: Back 1	Piece: 1
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:	Date: 09/11/2015





Comment:

Project: 2015 Universal Standard Drilling

Type: Design element 1


Piece: 2

Carcase name: 1x283 3x140 TANDEMBOX antaro

Creator:

Date: 09/11/2015





Comment:		
Project: 2015 Universal Standard Drilling	Type: Back 2	Piece: 3
Carcase name: 1x283 3x140 TANDEMBOX antaro	Creator:	Date: 09/11/2015

